










∅22mm















PICTURE	ITEM NO. & DESCRIPTION	COLOR
 ∅16 PILOT LIGHT	<ul style="list-style-type: none"> ● ITEM NO. : AD16-16 D/S ● LED TYPE ● VOLTAGE : AC/DC 6V, 12V, 24V, 36V, 48V, 110V, AC 220V, 380V DC 220V 	<ul style="list-style-type: none"> ● RED ● YELLOW ● BLUE ● GREEN ○ WHITE
 ∅12 PILOT LIGHT	<ul style="list-style-type: none"> ● ITEM NO.:AD212 ● LED TYPE ● VOLTAGE:AC/DC 6V, 12V, 24V, 110V, 220V, 	
 ∅10 PILOT LIGHT	<ul style="list-style-type: none"> ● ITEM NO.:AD210 ● LED TYPE ● VOLTAGE:AC/DC 6V, 12V, 24V, 110V, 220V, 	

PENDANT CONTROL STATIONS






















FOR CONTROL OF SINGLE-SPEED MOTORS

	FUNCTION	NUMBER OF OPERATORS	CONTACT BLOCKS AND SCHEME PER DIRECTION FOR "EMERGENCY STOP"	ITEM NO.
 C-A2713		2 MECHANICALLY INTERLOCKED	1 N/O 	C-A271
			1 N/O + 1 N/C 	C-A281
	2 MECHANICALLY INTERLOCKED +1 TRIGGER ACTION LATCHING "EMERGENCY STOP" ∅30mm OPERATOR		1 N/O 	C-A2713
			1 N/O + 1 N/C 	C-A2813

FOR CONTROL OF SINGLE-SPEED MOTORS

	FUNCTION	NUMBER OF OPERATORS	CONTACT BLOCKS AND SCHEME PER DIRECTION FOR "EMERGENCY STOP"	ITEM NO.
 C-A471		4 MECHANICALLY INTERLOCKED BETWEEN PAIRS	1 N/O 	C-A471
			1 N/O + 1 N/C 	C-A481
 C-A4713		4 MECHANICALLY INTERLOCKED BETWEEN PAIRS +1 TRIGGER ACTION LATCHING "EMERGENCY STOP" Ø40mm OPERATOR	1 N/O 	C-A4713
			1 N/O + 1 N/C 	C-A4813
 C-A671		6 MECHANICALLY INTERLOCKED BETWEEN PAIRS	1 N/O 	C-A671
			1 N/O + 1 N/C 	C-A681
 C-A6713		6 MECHANICALLY INTERLOCKED BETWEEN PAIRS +1 TRIGGER ACTION LATCHING "EMERGENCY STOP" Ø40mm OPERATOR	1 N/O 	C-A6713
			1 N/O + 1 N/C 	C-A6813
 C-A871		8 MECHANICALLY INTERLOCKED BETWEEN PAIRS	1 N/O 	C-A871
			1 N/O + 1 N/C 	C-A881
		8 MECHANICALLY INTERLOCKED BETWEEN PAIRS +1 TRIGGER ACTION LATCHING "EMERGENCY STOP" Ø40mm OPERATOR		

FOR CONTROL OF 2-SPEED MOTORS

	FUNCTION	NUMBER OF OPERATORS	CONTACT BLOCKS AND SCHEME PER DIRECTION FOR "EMERGENCY STOP"	ITEM NO.
 C-A291	 	2 MECHANICALLY INTERLOCKED	1 N/C + NO+NO STAGGERED XEN-G1191	 C-A291
		2 MECHANICALLY INTERLOCKED +1 TRIGGER ACTION LATCHING "EMERGENCY STOP" Ø30mm OPERATOR	1 N/C + NO+NO STAGGERED XEN-G1191	 C-A2913
 C-A491	 	4 MECHANICALLY INTERLOCKED BETWEEN PAIRS	1 N/C + NO+NO STAGGERED XEN-G1191	 C-A491
		4 MECHANICALLY INTERLOCKED BETWEEN PAIRS +1 TRIGGER ACTION LATCHING "EMERGENCY STOP" Ø40mm OPERATOR	1 N/C + NO+NO STAGGERED XEN-G1191	 C-A4913
 C-A4923	 	4 MECHANICALLY INTERLOCKED BETWEEN PAIRS +1 TRIGGER ACTION LATCHING "EMERGENCY STOP" Ø40mm OPERATOR	1 N/C + NO+NO STAGGERED(A) XEN-G1191	 C-A4923
			1 N/O	 C-A4923
 C-A691	 	6 MECHANICALLY INTERLOCKED	1 N/C + NO+NO STAGGERED XEN-G1191	 C-A691
		6 MECHANICALLY INTERLOCKED BETWEEN PAIRS +1 TRIGGER ACTION LATCHING "EMERGENCY STOP" Ø30mm OPERATOR	1 N/C + NO+NO STAGGERED XEN-G1191	 C-A6913
			1 N/C	 C-A6913