

PRODUCT-DETAILS

## VI155-FBP.0

VI155-FBP.0 Voltage-Module for UMC100 Also for use in IT networks, Ue 150-690V AC



### Información General

Tipo de producto extendido	VI155-FBP.0
Código de producto	1SAJ655000R0100
EAN	4016779837194
Descripción corta	VI155-FBP.0 Voltage-Module for UMC100 Also for use in IT networks, Ue 150-690V AC
Descripción larga	Voltage expansion module for UMC100. Also for use in IT networks. With this module the UMC100 provides voltage and power based supervision. Available process data: line to line voltage, power, energy, cosphi, THD (total harmonic distortion)

### Technical

Standards	CAN/CSA C22.2 No.14 IEC/EN 60947-1 IEC/EN 60947-5-1 IEC/EN 61131-2 UL 508
Suitable For	UMC100-FBP UMC100.3
Suitable for Product Class	Universal Motor Controllers
Rated Control Supply Voltage (U <sub>s</sub> )	24 V DC
Input Voltage Type	AC
Power Loss	Approximately 0.8 W
Number of Digital Output Relays	1
Tightening Torque	Auxiliary Circuit 0.22 N·m

Control Circuit 0.6 ... 0.8 N-m

Mounting on DIN Rail	TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715
Recommended Screw Driver	Pozidriv 1
Analog Inputs	3
Connecting Capacity	1x 0.75-2.5 mm <sup>2</sup>
Wire Stripping Length	7 mm
Terminal Type	Screw Terminals

## Ambiente

Grado de protección	IP20
RoHS Status	Following EU Directive 2011/65/EU

## Technical UL/CSA

Connecting Capacity UL/CSA	Flexible with Ferrule 1x 18-14 AWG Flexible 1x 18-14 AWG Rigid 1x 20-12 AWG
----------------------------	---

## Dimensiones

Ancho del product	22.5 mm
Alto del producto	78 mm
Largo del product	102 mm
Peso del product	0.116 kg

## Información de Embalaje

Embalaje Nivel 1 Unidades	box 1 piece
Embalaje Nivel 1 Ancho	22.5 mm
Embalaje Nivel 1 Alto	78 mm
Embalaje Nivel 1 Largo	102 mm
Embalaje Nivel 1 Peso	0.12 kg
Embalaje Nivel 1 EAN	4016779837194

## Clasificación

Cantidad mínima de pedido	1 piece
Código arancelario	85364900
E-Number (Finland)	3709073

## Certificados y Declaraciones (Número de Documento)

ABS Certificate	17-HG1610225-PDA
ATEX Certificate	No
cULus Certificate	cULus_20120412_E48139
Declaración de conformidad - CE	1SVD981039
DNV Certificate	DNV_E-13261
DNV GL Certificate	TAA000015X
GL Certificate	1SAA962005-0401
Instrucciones y	2CDC135016M6801

manuales

RoHS Information	1SVD981039
Regulatory Compliance Mark (RCM)	No

## Descargas Populares

Ficha técnica, información técnica	2CDC135013D0202
Instrucciones y manuales	2CDC135016M6801

## Clasificaciones

ETIM 7	EC002613 - Extension module for motor management device
ETIM 8	EC002613 - Extension module for motor management device
EPLAN Catalog Tree	Electrical engineering / Protection devices / Motor overload switch
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 49 00
eClass	V11.0 : 27370805
Object Classification Code	B

## Categorías

Productos y sistemas de baja tensión → Aparatos de control → Controladores de motor → Universal Motor Controllers Accessories

