

PRODUCT-DETAILS

# IB132-Y

## IB132-Y Enclosure



### Información General

Tipo de producto extendido	IB132-Y
Código de producto	1SAM201911R1011
EAN	4013614421624
Descripción corta	IB132-Y Enclosure
Descripción larga	IB132-Y enclosure is suitable for manual motor starter MS116/MS132. The combination of manual motor starter and enclosure allows to setup all required control and protection functions for single machine installations. The enclosure has a IP65 degree of protection. Additional mounting of auxiliary and signalling contacts, shunt trips and undervoltage release is possible. The handle is up to 3-times lockable in OFF position.

### Clasificación

Cantidad mínima de pedido	1 piece
Código arancelario	85389099

### Descargas Populares

Ficha técnica, información técnica	1SBC100173C0201
Instrucciones y manuales	2CDC131028M6805
Dimension Diagram	1SAM200441F0001

## Dimensiones

Ancho del product	120 mm
Alto del producto	120 mm
Largo del product	195 mm
Peso del product	0.37 kg

## Technical

Contact Position Indication	ON / OFF / TRIP
Actuator Type	Rotary Handle
Color	Yellow / Red
Grado de protección	IP65
Standards	CSA 22.2 No. 14 IEC/EN 60947-1 IEC/EN 60947-4-1 UL 508
Product Name	Enclosure
Suitable For	MS116 MS132
Suitable for Product Class	Manual Motor Starter
Accessory Group	Mechanical
Accessory Type	Enclosure
Remarks	For detailed specification see installation instruction

## Technical UL/CSA

Enclosure Type UL/CSA	12
-----------------------	----

## Ambiente

Temperatura ambiente	Funcionamiento 0 ... +40 °C Almacenamiento -50 ... +80 °C
RoHS Status	Following EU Directive 2011/65/EU

## Certificados y Declaraciones (Número de Documento)

cUL Certificate	cUL_E137861
Declaración de conformidad - CE	1SAD938504-0196 1SAD938506-0197 1SAD938508-0188 1SAD938509-0183 1SAD938516-0125 1SAD938522-0060
Declaration of Conformity - UKCA	1SAD938502-1060 1SAD938503-1125 1SAD938503-1188 1SAD938503-1198
Instrucciones y manuales	2CDC131028M6805
RoHS Information	1SAD938504-0196 1SAD938506-0197 1SAD938508-0188 1SAD938509-0183 1SAD938516-0125 1SAD938522-0060
UL Certificate	UL_E137861

---

## Información de Embalaje

---

Embalaje Nivel 1 Ancho	129 mm
Embalaje Nivel 1 Largo	129 mm
Embalaje Nivel 1 Alto	141 mm
Embalaje Nivel 1 Peso	0.435 kg
Embalaje Nivel 1 EAN	4013614421624
Embalaje Nivel 1 Unidades	box 1 piece

---



---

## Clasificaciones

---

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC000712 - Empty enclosure for switchgear
ETIM 6	EC000712 - Empty enclosure for switchgear
ETIM 7	EC000712 - Empty enclosure for switchgear
eClass	V11.0 : 27371301
UNSPSC	39121334
IDEA Granular Category Code (IGCC)	4492 >> Modular electrical enclosure
E-Number (Finland)	3705860
E-Number (Sweden)	3112074

---



---

## Categorías

---

Productos y sistemas de baja tensión → Aparatos de control → Guardamotores → Manual Motor Starters Accessories

