

PRODUCT-DETAILS

# TE5S-120

## TE5S-120 Electronic Timer



### Información General

Tipo de producto extendido	TE5S-120
Código de producto	1SBN020010R1002
EAN	3471522121660
Descripción corta	TE5S-120 Electronic Timer
Descripción larga	TE5S-120 Electronic Timer

### Technical

Suitable For	A9
	A12
	A16
	A26
	A30
	A40
	A45
	A50
	A63
	A75
	A95
	A110
	A145
	A185
	A210
	A260
	A300AX06
	AX09
	AX12
	AX18
	AX25

AX32  
 AX40  
 AX50  
 AX65  
 AX80  
 AX95  
 AX115  
 AX150  
 AX185  
 AX205

Rated Operational Voltage	Auxiliary Circuit 240 V
Rated Insulation Voltage (U <sub>i</sub> )	acc. to IEC 60947-5-1 and VDE 0110 (Gr. C) 440 V
Rated Control Circuit Voltage (U <sub>c</sub> )	50 Hz / 60 Hz 110 ... 120 V AC
Rated Operational Current AC-15 (I <sub>e</sub> )	(24 / 127 V) 5 A (220 / 240 V) 4 A
Rated Frequency (f)	Supply Circuit 50 / 60 Hz
Short-Circuit Protective Devices	gG Type Fuses 10 A
Mechanical Durability	5 million
Number of Main Contacts NC	0
Number of Auxiliary Contacts NC	1
Number of Auxiliary Contacts NO	1
Time Range	Direct 0.8...8 s or 6...60 s
Mounted Auxiliary Contacts	1 NO, 1 NC
Coil Consumption	Average Holding Value 50 Hz 3.5 V·A Average Holding Value 60 Hz 3.5 V·A
Terminal Type	Screw Terminals

## Ambiente

Grado de protección	acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP20
Resistance to Shock acc. to IEC 60068-2-27	Half-sine Pulse for 11 ms, Shock Direction: A 20 m/s <sup>2</sup> Half-sine Pulse for 11 ms, Shock Direction: B 15 m/s <sup>2</sup> Half-sine Pulse for 11 ms, Shock Direction: C 20 m/s <sup>2</sup>
RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	1SBD250053E1000

## Dimensiones

Ancho del product	23 mm
Alto del producto	85 mm
Largo del product	75 mm
Peso del product	0.08 kg

## Información de Embalaje

Embalaje Nivel 1 Unidades	box 1 piece
Embalaje Nivel 1 Ancho	23 mm
Embalaje Nivel 1 Alto	85 mm
Embalaje Nivel 1 Largo	75 mm
Embalaje Nivel 1 Peso	0.08 kg
Embalaje Nivel 1 EAN	3471522121660

## Clasificación

Cantidad mínima de pedido	1 piece
Código arancelario	85364900
E-Number (Finland)	3709230

## Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	1SBD250815U1000
Environmental Information	1SBD250053E1000
RINA Certificate	RINA_ELE172319XG001
RoHS Information	1SBD250815U1000
UL Certificate	UL_E191693

## Descargas Populares

Ficha técnica, información técnica	1SBC100122C0202_Ch04
------------------------------------	----------------------

## Clasificaciones

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 49 00
UNSPSC	39121500
Object Classification Code	K

## Categorías

Productos y sistemas de baja tensión → Aparatos de control → Contactores → Block Contactors Accessories

