


PRODUCT-DETAILS

BEA26-4

BEA26-4 Connecting Link with Manual Motor Starter



Información General

Tipo de producto extendido	BEA26-4
Código de producto	1SBN082306T1000
EAN	3471523130746
Descripción corta	BEA26-4 Connecting Link with Manual Motor Starter
Descripción larga	<p>Connecting links with manual motor starters</p> <p>The BEA insulated 3-pole connecting links are used to connect AF09 ... AF65 contactors with the MS116 or MS132 or MS165 manual motor starters. The BEA insulated 3-pole connecting links ensure the electrical and mechanical connection between the contactor and the associated manual motor starter. BPR65-4 35 mm rail hooks used with BEA65-4 connecting link, allow direct mounting on 2 rails 35 mm of MS165 manual motor starters with AF40 ... AF65 contactors.</p>

Technical

Suitable For	MO132 MS116 MS132 AF26 AF26Z AF30 AF30Z AF38 AF38Z AFC26 AFC30 AFC38 AFS26 AFS26Z AFS30
--------------	---

AFS30Z
 AFS38
 AFS38Z
 MS132B
 AF26B
 AF26ZB
 AF30B
 AF30ZB
 AF38B
 AF38ZB

Rated Operational Voltage	Main Circuit 690 V AC
Terminal Type	Screw Terminals

Ambiente

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	1SBD250188E1000

Dimensiones

Ancho del product	45 mm
Alto del producto	41.8 mm
Largo del product	48 mm
Peso del product	0.025 kg

Información de Embalaje

Embalaje Nivel 1 Unidades	box 10 piece
Embalaje Nivel 1 Ancho	100 mm
Embalaje Nivel 1 Alto	64 mm
Embalaje Nivel 1 Largo	187 mm
Embalaje Nivel 1 Peso	0.25 kg
Embalaje Nivel 1 EAN	3471523130746

Clasificación

Cantidad mínima de pedido	10 piece
Código arancelario	85389099
E-Number (Finland)	3705822
E-Number (Sweden)	3211493

Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	1SBD250021U1000
Environmental Information	1SBD250188E1000
GOST Certificate	GOST_POCCFR.ME77.B07175.pdf
Instrucciones y manuales	1SBC101030M6801
RINA Certificate	RINA_ELE084013XG
RoHS Information	1SBD250021U1000
UL Certificate	UL_20120730-E312527
UL Listing Card	UL_E312527

Descargas Populares

Instrucciones y manuales	1SBC101030M6801
UL Listing Card	UL_E312527

Clasificaciones

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8538 90 99
UNSPSC	39120000
eClass	V11.0 : 27371392

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Contactores → Block Contactors Accessories

