


PRODUCT-DETAILS

# OT2000E03CP

## OT2000E03CP CHANGE-OVER SWITCH



### Información General

Tipo de producto extendido	OT2000E03CP
Código de producto	1SCA103908R1001
EAN	6417019382814
Descripción corta	OT2000E03CP CHANGE-OVER SWITCH
Descripción larga	Including a black plastic IP65 I-0-II pistol type handle (see the table below), shaft and bolt set for the cable connection. Handle padlockable in the 0-position, door interlock in the I- and lipositions and when padlocked.

### Clasificación

Cantidad mínima de pedido	1 piece
Código arancelario	85365080
Country of Origin	Finland (FI)

### Descargas Populares

Ficha técnica, información técnica	1SCC303003C0201
Instrucciones y manuales	1SCC301050M0003

### Dimensiones

Ancho del product	538 mm
Alto del producto	377 mm
Largo del product	335 mm
Peso del product	54.285 kg 119.68 lb

## Technical

Rated Operational Current AC-21B (I <sub>e</sub> )	(380 ... 415 V) 2000 A (500 V) 2000 A
Rated Operational Current AC-31B (I <sub>e</sub> )	(380 ... 415 V) 2000 A
Rated Operational Current AC-33B (I <sub>e</sub> )	(380 ... 415 V) 2000 A
Conventional Free-air Thermal Current (I <sub>th</sub> )	q = 40 °C 2000 A
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	12 kV
Rated Insulation Voltage (U <sub>i</sub> )	1000 V
Rated Operational Voltage	1000 V
Rated Short-time Withstand Current Low Voltage (I <sub>cw</sub> )	for 1 s 55 kiloampere rms
Power Loss	55 W
Pollution Degree	3
Handle Color	Black
Handle Type	Handle and shaft included Mechanism at the End of the Switch 03 (Left Side)
Distance Between Phases	Standard
Position of Line Terminals	Top In - Bottom Out, Bottom In - Top Out
Operating Mode	Front operated
Mounting Type	Base mounting
Number of Poles	3
Grado de protección	Front IP20
Terminal Width	100 mm
Tightening Torque	acc. IEC 60947-1 50 ... 75 N·m
Transition Type	Open

## Ambiente

Environmental Information	1SCC303050D0201
---------------------------	-----------------

## Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	1SCC303022D0201
Environmental Information	1SCC303050D0201
Instrucciones y manuales	1SCC301050M0003
RoHS Information	1SCC301149D0202

## Información de Embalaje

Embalaje Nivel 1 Unidades	1 piece
Embalaje Nivel 1 Ancho	394 mm 15.51 in
Embalaje Nivel 1 Largo	584 mm 22.99 in
Embalaje Nivel 1 Alto	385 mm 15.16 in
Embalaje Nivel 1 Peso	73 kg
Embalaje Nivel 1 EAN	6417019382814

## Clasificaciones

Object Classification Code	Q
ETIM 5	EC000216 - Switch disconnector
ETIM 6	EC000216 - Switch disconnector
ETIM 7	EC000216 - Switch disconnector
ETIM 8	EC000216 - Switch disconnector
Categoría RAEE	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	3650321

## Categorías

Productos y sistemas de baja tensión → Interruptores-seccionadores → Change-over and Transfer Switches → Interruptores seccionadores - SwitchLine

