


PRODUCT-DETAILS

# OTM2500E3CM230C

## OTM2500E3CM230C MOTORIZED C/O SWITCH



### Información General

Tipo de producto extendido	OTM2500E3CM230C
Código de producto	1SCA112710R1001
EAN	6417019454061
Descripción corta	OTM2500E3CM230C MOTORIZED C/O SWITCH
Descripción larga	Including a handle for manual operation, bolt kit with nut and washers for all terminals and male connectors for control circuits. Include a storage clip for the handle and spare fuses.

### Clasificación

Cantidad mínima de pedido	1 piece
Código arancelario	85365080
Country of Origin	Finland (FI)

### Descargas Populares

Ficha técnica, información técnica	1SCC303003C0201
Instrucciones y manuales	1SCC303002M0204

### Dimensiones

Ancho del product	645 mm
Alto del producto	377 mm
Largo del product	372 mm
Peso del product	78 kg

## Technical

Rated Operational Current AC-21B (I <sub>e</sub> )	(380 ... 415 V) 2500 A (500 V) 2500 A
Conventional Free-air Thermal Current (I <sub>th</sub> )	q = 40 °C 2500 A
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	12 kV
Rated Insulation Voltage (U <sub>i</sub> )	1000 V
Rated Operational Voltage	1000 V
Rated Short-time Withstand Current Low Voltage (I <sub>cw</sub> )	for 1 s 55 kiloampere rms
Motor Operational Voltage	220 ... 240 V AC
Power Loss	85 W
Pollution Degree	3
Handle Color	Black
Handle Type	Direct mounted handle Mechanism at the End of the Switch
Distance Between Phases	Standard
Position of Line Terminals	Top In - Bottom Out, Bottom In - Top Out
Operating Mode	Front operated
Mounting Type	Base mounting
Number of Poles	3
Grado de protección	Front IP20
Transition Type	Open

## Ambiente

Environmental Information	1SCC303036D0202
---------------------------	-----------------

## Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	1SCC303038D0201
Environmental Information	1SCC303036D0202
Instrucciones y manuales	1SCC303002M0204
RoHS Information	1SCC303036D0202

## Información de Embalaje

Embalaje Nivel 1 Unidades	1 piece
Embalaje Nivel 1 Ancho	580 mm
Embalaje Nivel 1 Largo	780 mm

Embalaje Nivel 1 Alto	500 mm
Embalaje Nivel 1 Peso	78 kg
Embalaje Nivel 1 EAN	6417019454061

---

## Clasificaciones

---

Object Classification Code	Q
ETIM 5	EC000216 - Switch disconnecter
ETIM 6	EC000216 - Switch disconnecter
ETIM 7	EC000216 - Switch disconnecter
ETIM 8	EC000216 - Switch disconnecter
Categoría RAEE	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	3641804

---

## Categorías

---

Productos y sistemas de baja tensión → Interruptores-seccionadores → Change-over and Transfer Switches → Motorized Change-over Switches

