

PRODUCT-DETAILS

## CR-P110AC2

### CR-P110AC2 Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/8A



#### Información General

Tipo de producto extendido	CR-P110AC2
Código de producto	1SVR405601R7000
EAN	4013614498299
Descripción corta	CR-P110AC2 Pluggable interface relay 2c/o, A1-A2=110VAC, 250V/8A

#### Descripción larga

The CR-P110AC2 pluggable interface relay is suitable for direct mounting on a printed circuit board or use in conjunction with ABB's sockets. This relay operates with a 110 V AC rated control supply voltage and has a 2 c/o (SPDT) output with contacts rated at 250 V / 8 A, enabling the possibility of switching multiple circuits with a single input signal. Coupled with a socket, the compact size of this relay offers possibilities to save space within a control panel. Furthermore, with an IP degree of 67, this relay offers complete protection against ingress of dust and airborne particles & protection against water and liquids, up to and including immersion in up to one meter of water. Standard sockets, logical sockets, pluggable function modules, holder and marker are available as accessories.

#### Clasificación

Cantidad mínima de pedido	10 piece
Código arancelario	85364900

#### Descargas Populares

Ficha técnica, información técnica	2CDC110004C0210_05
Instrucciones y	1SVC405600M9000

manuales

---

## Dimensiones

Ancho del product	12.7 mm
Alto del producto	15.7 mm
Largo del product	29 mm
Peso del product	0.014 kg

## Technical

Function	Pluggable pcb interface relay CR-P
Sub-Function	Relay w/o built in LED
Output	2 c/o (SPDT) contacts
Output Signal	250 V / 8 A
Rated Control Supply Voltage (Us)	110 V AC
Terminal Type	Soldering Pins

## Ambiente

Temperatura ambiente	Funcionamiento -40 ... +70 °C Almacenamiento -40 ... +85 °C
Maximum Operating Altitude Permissible	Without Derating 2000 m
RoHS Status	Following EU Directive 2011/65/EU

## Technical UL/CSA

Maximum Operating Voltage UL/CSA	300 V AC
Ampere Rating UL/CSA	5 A
Pilot Duty UL/CSA	B300

## Certificados y Declaraciones (Número de Documento)

CCC Certificate	CCC_2007010303228779
CSA Certificate	CSA_1587291
cUR Certificate	cUR_E244330
Declaration of Conformity - CCC	2020970303000496
Declaración de conformidad - CE	1SVD982031-0001
Declaration of Conformity - UKCA	1SVD982031-1000
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19
Environmental Information	1SAA981009-2401
Instrucciones y manuales	1SVC405600M9000
RMRS Certificate	RMRS_1740019250
RoHS Information	1SVD982031-0000
UR Certificate	UR_E244330
VDE Certificate	VDE_40019129

