

PRODUCT-DETAILS

## CT-MFE

CT-MFE Time relay, multifunction 1c/o, 0.05s-100h, 24-240VAC/DC



### Información General

Tipo de producto extendido	CT-MFE
Código de producto	1SVR550029R8100
EAN	4013614346156
Descripción corta	CT-MFE Time relay, multifunction 1c/o, 0.05s-100h, 24-240VAC/DC
Descripción larga	The CT-MFE is a multifunction electronic time relay from the CT-E timer range. It provides 6 timing functions with 8 time ranges from 0.05 s to 100 h. This time relay operates with a rated control supply voltage of 24 - 240 V AC / DC and has a 1 c/o (SPDT) output rated at 250 V / 4 A. A control input works with voltage-related (non-floating) triggering.

### Clasificación

EAN	4013614346156
Cantidad mínima de pedido	1 piece
Código arancelario	85364900
Replacement Product ID (NEW)	1SVR508020R0000

### Descargas Populares

Ficha técnica, información técnica	2CDC111145D0201
Instrucciones y manuales	1SVC557021M1000

## Dimensiones

Ancho del product	22.5 mm
Alto del producto	78 mm
Largo del product	78.5 mm
Peso del product	0.07 kg

## Technical

Timer Relay Type	ON-Delay OFF-Delay Impulse ON Flasher Starting with ON Flasher Starting with OFF Pulse Former
Time Range	0.05 s ... 100 h
Rated Control Supply Voltage (U <sub>s</sub> )	24 ... 240 V AC/DC
Output	1 c/o (SPDT) contact
Terminal Type	Screw Terminals
Rated Operational Current AC-12 (I <sub>e</sub> )	(230 V) 4 A
Rated Operational Current AC-15 (I <sub>e</sub> )	(230 V) 3 A
Rated Operational Current DC-12 (I <sub>e</sub> )	(24 V) 4 A
Rated Operational Current DC-13 (I <sub>e</sub> )	(24 V) 2 A
Mounting Position	1 ... 6
Mounting on DIN Rail	TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61812-1 UL 508

## Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

## Certificados y Declaraciones (Número de Documento)

CQC Certificate	CQC2010010303393101
cUL Certificate	cUL508_E140448
Ficha técnica, información técnica	2CDC111145D0201
Declaration of Conformity - CCC	2020980303000201
Declaración de conformidad - CE	1SVD981002
EAC Certificate	EAC_RU_C-DE.ME77.B.02016
Environmental Information	1SAA981011-2402
Instrucciones y manuales	1SVC557021M1000
RMRS Certificate	RMRS_1740021250
RoHS Information	1SVD981002
UL Certificate	UL508_E140448

## Información de Embalaje

Embalaje Nivel 1 Unidades	1 piece
Embalaje Nivel 1 Ancho	81 mm
Embalaje Nivel 1 Largo	26 mm
Embalaje Nivel 1 Alto	83.1 mm
Embalaje Nivel 1 Peso	0.086 kg
Embalaje Nivel 1 EAN	4013614346156

## Clasificaciones

Object Classification Code	K
ETIM 4	EC001439 - Timer relay
ETIM 5	EC001439 - Timer relay
ETIM 6	EC001439 - Timer relay
ETIM 7	EC001439 - Timer relay
eClass	V11.0 : 27371605
UNSPSC	39121519
E-Number (Finland)	2712603
E-Number (Sweden)	4033072

## Categorías

Productos y sistemas de baja tensión → Aparatos de control → Relés electrónicos → Temporizadores → CT-E

