

PRODUCT-DETAILS

# S2C-H6R

## S2C-H6R Contacto Auxiliar



### Información General

Tipo de producto extendido	S2C-H6R
Código de producto	2CDS200912R0001
EAN	4016779563826
Descripción corta	S2C-H6R Contacto Auxiliar
Descripción larga	Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs.

### Technical

Standards	CSA Class 3215-30 CSA Class 3215-90 GB/T 14048.5 IEC/EN 60947-5-1 UL 1077
Function	Auxiliary Contact
Suitable For	S200 S200M S200P S200S SN201L+SN201-IH SN201+SN201-IH SN201M+SN201-IH F200 DS201

DS202C  
DS200  
S-ARC1  
DS-ARC1

Suitable for Product Class	Miniature Circuit Breaker Residual Current Device
Power Loss	0.5 W Maximum 0.5 W
Number of Auxiliary Contacts NC	0
Number of Auxiliary Contacts NO	0
Number of Auxiliary Contacts CO (SPDT)	1
Accessory Type	Auxiliary Contact
Mounting Position	Right
Technical Information	AUXILIARYCONTACT

## Ambiente

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	2CDK400571D0201

## Dimensiones

Ancho del product	8.8 mm
Alto del producto	85 mm
Largo del product	69 mm
Peso del product	0.043 kg

## Información de Embalaje

Embalaje Nivel 1 Unidades	1 piece
Embalaje Nivel 1 Ancho	20 mm
Embalaje Nivel 1 Alto	115 mm
Embalaje Nivel 1 Largo	104 mm
Embalaje Nivel 1 Peso	0.045 kg
Embalaje Nivel 1 EAN	4016779563826
Package Level 2 Units	60 piece
Package Level 2 Width	275 mm
Package Level 2 Height	210 mm
Package Level 2 Depth / Length	395 mm
Package Level 2 Gross Weight	3.4 kg
Package Level 2 EAN	4016779946193

## Clasificación

Cantidad mínima de	1 piece
--------------------	---------

## pedido

Código arancelario	85365080
E-Number (Finland)	3210836
E-Number (Sweden)	2102500
Country of Origin	Germany (DE)

## Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	2CDK400628D2701
Environmental Information	2CDK400571D0201
Instrucciones y manuales	9AKK107680A3433
RoHS Information	2CDK440030D2703

## Descargas Populares

Ficha técnica, información técnica	9AKK106930A8017
Instrucciones y manuales	9AKK107680A3433

## Clasificaciones

ETIM 7	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
EPLAN Function Definition	Change-over contact / Change-over contact, 3 connection points / Change-over auxiliary contact 4_1_2
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
UNSPSC	39121614
eClass	V11.0 : 27143502

## Where Used (as a spare part for "Products")

Identifier	Description	Quantity	Unit Of Measure
9AAC30403877	No Description Available	1	piece
9AAC30404896	No Description Available	1	piece

## Product specific part data

Product	Category	Switchgear Part Category
9AAC30403877	SafeRing 36-40,5kV	Auxiliary Contacts
9AAC30404896	SafePlus 36-40,5kV	Auxiliary Contacts

---

## Categorías

---

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

Productos y Sistemas de Media Tensión → Celdas de Media Tensión y Centros de Control de Motores → Celdas de Distribución Secundaria → Celdas Compactas Aisladas en Gas para Dist. Secundaria → SafeRing 36-40,5kV

Productos y Sistemas de Media Tensión → Celdas de Media Tensión y Centros de Control de Motores → Celdas de Distribución Secundaria → SafePlus → SafePlus 36-40,5kV

