

PRODUCT-DETAILS

MLBL-07G

MLBL-07G LED block



Información General

| | |
|----------------------------|--|
| Tipo de producto extendido | MLBL-07G |
| Código de producto | 1SFA611621R1072 |
| EAN | 7320500544877 |
| Descripción corta | MLBL-07G LED block |
| Descripción larga | Modular LED block - 230 V AC, integrated LED - Green - Illuminated |

Clasificación

| | |
|---------------------------|----------|
| Cantidad mínima de pedido | 10 piece |
| Código arancelario | 85369001 |

Descargas Populares

| | |
|------------------------------------|-----------------|
| Ficha técnica, información técnica | 1SFC151007C02__ |
| Instrucciones y manuales | 1SFC151011M0201 |

Dimensiones

| | |
|-------------------|---------|
| Ancho del product | 0.01 m |
| Alto del producto | 0.044 m |

| | |
|-------------------|---------|
| Largo del product | 0.042 m |
| Peso del product | 0.01 kg |

Technical

| | |
|------------------------------------|--|
| Temperatura ambiente | Funcionamiento -25 ... +70 °C Almacenamiento -40 ... +85 °C |
| Color | Green |
| Illumination | Illuminated |
| Lamp Type | 230 V AC, integrated LED |
| Mounting Type | Front mounting |
| Grado de protección | Terminals IP20 |
| Rated Frequency (f) | 50 / 60 Hz |
| Rated Operational Voltage | 230 V AC |
| Power Loss | Approximately 0.4 W |
| Connecting Capacity | Flexible with Ferrule 1 x 0.75...2.5 mm ² Flexible with Ferrule 2 x 0.75...2.5 mm ² Flexible with Insulated Ferrule 1 x 0.75...2.5 mm ² Flexible with Insulated Ferrule 2 x 0.75...2.5 mm ² Flexible 1 x 0.75 ... 2.5 mm ² Flexible 2 x 0.75 ... 2.5 mm ² Solid 1 x 0.75...2.5 mm ² Solid 2 x 0.75...2.5 mm ² |
| Connecting Capacity Supply Circuit | Flexible with Ferrule 1x0.75...2.5 mm ² Flexible with Ferrule 2x0.75...2.5 mm ² Flexible with Insulated Ferrule 1x0.75...2.5 mm ² Flexible with Insulated Ferrule 2x0.75...2.5 mm ² Flexible 1x0.75...2.5 2 square millimeters Flexible 2x0.75...2.5 2 square millimeters |
| Connection Type | Screw Clamp |
| Terminal Type | Screw Terminals |
| Tightening Torque | 0.9 N·m |
| Wire Stripping Length | 8 mm |
| Suitable For | MCBH-00 MCBH5-00 MP1 MP2 MP3 MP4 MPMT3 MPMP3 M2SS1 M2SS2 M2SS3 M2SS4 M2SS5 M2SS6 M3SS1 M3SS2 M3SS3 M3SS4 M3SS5 M3SS6 M3SS7 M3SS8 MPM1 |
| Suitable for Product Class | Pilot Devices |

Technical UL/CSA

| | |
|---------------------|----------------|
| Connecting Capacity | 1x 18...14 AWG |
| UL/CSA | 2x 18...14 AWG |

Ambiente

| | |
|------------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 0635 4 |
| RoHS Information | 2CMT2015-005452 |
| Categoría RAEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |

Certificados y Declaraciones (Número de Documento)

| | |
|---------------------------------|---------------------|
| CB Certificate | SEMKO_SE-56219 |
| CQC Certificate | CQC2008010305274953 |
| cULus Certificate | 9AKK107046A9925 |
| Declaration of Conformity - CCC | 2020980305001106 |
| Declaración de conformidad - CE | 2CMT2015-005452 |
| DNV GL Certificate | E-14107 |
| EAC Certificate | 1SFC150017D1101 |
| Environmental Information | 1SAC200078H0001 |
| Instrucciones y manuales | 1SFC151011M0201 |
| RoHS Information | 2CMT2015-005452 |

Información de Embalaje

| | |
|---------------------------|---------------|
| Embalaje Nivel 1 Unidades | bag 10 piece |
| Embalaje Nivel 1 Ancho | 0.11 m |
| Embalaje Nivel 1 Largo | 0.01 m |
| Embalaje Nivel 1 Alto | 0.015 m |
| Embalaje Nivel 1 Peso | 0.11 kg |
| Embalaje Nivel 1 EAN | 7320500372951 |

Clasificaciones

| | |
|----------------------------|--|
| Object Classification Code | E |
| ETIM 4 | EC002024 - Accessories for control circuit devices |
| ETIM 5 | EC000204 - Lamp holder block for control circuit devices |
| ETIM 6 | EC000204 - Lamp holder block for control circuit devices |
| ETIM 7 | EC000204 - Lamp holder block for control circuit devices |
| eClass | V11.0 : 27371209 |
| UNSPSC | 39121500 |
| E-Number (Finland) | 2315776 |
| E-Number (Norway) | 4373114 |
| E-Number (Sweden) | 3705068 |

Categorías

Productos y sistemas de baja tensión → Aparatos de control → Pulsantera → Accessories

Productos y sistemas de baja tensión → Aparatos de control → Pulsantera → Pilotos de señalización y operación

