

PRODUCT-DETAILS

# 216EC6W

## Industrial Connectors, 2P+E, 16A, 200 ... 250 V



### Información General

Tipo de producto extendido	216EC6W
Código de producto	2CMA101119R1000
EAN	7392696011198
Descripción corta	Industrial Connectors, 2P+E, 16A, 200 ... 250 V
Descripción larga	Industrial Connectors, 2P+E, 16A, 200 ... 250 V Clock Position Of Grounding Contact 6 hour Color code Blue

### Clasificación

E-Number (Sweden)	E2416203
E-Number (Finland)	2420110
E-Number (Norway)	1540724
EAN	7392696011198
Country of Origin	Czech Republic (CZ)
Cantidad mínima de pedido	10 piece

### Dimensiones

Ancho del product	73 mm
Alto del producto	73 mm
Peso del product	0.17 kg

## Información de Embalaje

Embalaje Nivel 1 Ancho	310 mm
Embalaje Nivel 1 Largo	140 mm
Embalaje Nivel 1 Alto	147 mm
Embalaje Nivel 1 Peso	1.7 kg
Embalaje Nivel 1 EAN	7392696043663
Embalaje Nivel 1 Unidades	box 10 piece

## Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

## Certificados y Declaraciones (Número de Documento)

CB Certificate	2CHC660164X0201
Declaración de conformidad - CE	2CMC700005D0001
Environmental Information	2CMC000056M0000
RoHS Information	2CMC700005D0001
SEMKO Certificate	1620515
REACH Declaration	2CMC700005D0001

## Información Adicional

Additional Information	2P+E
Ambient Temperature	-25 ... 40 °C
Cable Cross-Section	1 ... 2.5 mm <sup>2</sup>
Cable Diameter	14 mm
Cable Entry Position	Swivel
Color	Blue
Connection Type	Screw
Grado de protección	IP67
Frequency (f)	50 Hz 60 Hz
Function	Connector
Housing Material	Plastic (PA)
Invoice Description	Ind. P&S#216EC6W
Number of Poles	3
Order Multiple	10 piece
Product Main Type	EC
Product Name	Industrial Connector
Protection Type	Watertight
Rated Current (I <sub>n</sub> )	16 A
Rated Voltage (U <sub>r</sub> )	200 ... 250 V
Recommended Screw Driver	PH2
Standards	IEC 60309-1, -2
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instrucciones y manuales	2CMC700014C0016
RAL Number	RAL 7012 - Gris basalto

---

## Clasificaciones

---

eClass	27440509
UNSPSC	39120000

---

---

## Technical

---

Wire Size	14 ... 12 AWG
Tightening Torque	WireClamp0.8 N·m

---

---

## Categorías

---

Productos y sistemas de baja tensión → Tomas de corriente industriales → Easy & Safe → Connectors

