

PRODUCT-DETAILS

# 216EP6

## Industrial Plugs, 2P+E, 16A, 200 ... 250 V



### Información General

Tipo de producto extendido	216EP6
Código de producto	2CMA101947R1000
EAN	7392696019477
Descripción corta	Industrial Plugs, 2P+E, 16A, 200 ... 250 V
Descripción larga	Industrial Plugs, 2P+E, 16A, 200 ... 250 V Clock Position Of Grounding Contact 6 hour Color code Blue

### Clasificación

E-Number (Sweden)	E2416161
E-Number (Finland)	2420050
E-Number (Norway)	1540708
EAN	7392696019477
Country of Origin	Czech Republic (CZ)
Cantidad mínima de pedido	10 piece

### Dimensiones

Ancho del product	57 mm
-------------------	-------

Alto del producto	63 mm
Peso del product	0.11 kg

### Información de Embalaje

Embalaje Nivel 1 Ancho	120 mm
Embalaje Nivel 1 Largo	138 mm
Embalaje Nivel 1 Alto	285 mm
Embalaje Nivel 1 Peso	1.1 kg
Embalaje Nivel 1 EAN	7392696029797
Embalaje Nivel 1 Unidades	box 10 piece

### Ambiente

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

### Certificados y Declaraciones (Número de Documento)

CB Certificate	2CHC660167X0201
Declaración de conformidad - CE	2CMC700005D0001
Environmental Information	2CMC000056M0000
RoHS Information	2CMC700005D0001
SEMKO Certificate	1617364
REACH Declaration	2CMC700005D0001

### Información Adicional

Additional Information	2P+E
Ambient Temperature	-25 ... 40 °C
Cable Cross-Section	1 ... 2.5 mm <sup>2</sup>
Cable Diameter	14 mm
Cable Entry Position	Swivel
Color	Blue
Connection Type	Screw
Grado de protección	IP44
Frequency (f)	50 Hz 60 Hz
Function	Plug
Housing Material	Plastic (PA)
Invoice Description	Ind. P&S#216EP6
Number of Poles	3
Order Multiple	10 piece
Product Main Type	EP
Product Name	Industrial Plug
Protection Type	Splashproof

Rated Current ( $I_n$ )	16 A
Rated Voltage ( $U_r$ )	200 ... 250 V
Recommended Screw Driver	PH2
Standards	IEC 60309-1, -2
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instrucciones y manuales	2CMC700014C0016
RAL Number	RAL 7012 - Gris basalto

---

## Clasificaciones

eClass	27440509
UNSPSC	39120000

---

## Technical

Wire Size	14 ... 12 AWG
Tightening Torque	WireClamp0.8 N·m

---

## Categorías

Productos y sistemas de baja tensión → Tomas de corriente industriales → Easy & Safe → Plugs

