

PRODUCT-DETAILS

AD1NO-R-15m

AD1NO-R-15m Interruptor horario analógico



Información General

Tipo de producto extendido	AD1NO-R-15m
Código de producto	2CSM222461R1000
EAN	8012542224617
Descripción corta	AD1NO-R-15m Interruptor horario analógico
Descripción larga	Analog time switch, daily programming, 1 channel NO, 15 minutes switch, with reserve

Technical

Standards	EN 60730-2-7
Function	Daily
Rated Operational Voltage	230 V
Operational Voltage	Maximum (Incl. Tolerance) 195 V AC Maximum (Incl. Tolerance) ...253 V AC
Supply Voltage	230 V
Rated Frequency (f)	50 ... 60 Hz
Maximum Load Capacity	Resistive load 16 A Inductive Load 4 A
Maximum Switching Power	4000 V·A Incandescent 2500 W Fluorescent 1200 V·A Low voltage halogen 2000 V·A Halogen 2500 W Low consumption lamp(CFL) 900 V·A LED 100 V·A
	0.5 W

Power Loss	0.5 W
Power Supply	(-15%..+10%) 230 V AC
Accuracy	Operating accuracy: ± 1 second/day at 23°C Switching accuracy: ± 5 minutes
Number of Channels	1
Tightening Torque	0.3 N·m
Minimum Switching Time	15 minute [unit of time]
Contact Type	Normally Open (NO)
Meter Type	Electromechanical
Mounting Type	DIN rail
Options Provided	With running reserve
Battery Chemical Composition	Nickel-Metal Hydride
Battery Life	100 hour
Battery Type	Button Cell
Battery Weight	0.004 kg
Number of Batteries	1
Connecting Capacity	Solid 4 mm ²
Terminal Type	Captive Screw

Ambiente

Temperatura ambiente	Funcionamiento -10 ... 45 °C Almacenamiento -20 ... 60 °C
Grado de protección	Housing IP20

Dimensiones

Width in Number of Modular Spacings	1
Ancho del product	17.5 mm
Alto del producto	66 mm
Largo del product	90 mm
Peso del product	0.075 kg

Información de Embalaje

Embalaje Nivel 1 Unidades	1 piece
Embalaje Nivel 1 Ancho	20 mm
Embalaje Nivel 1 Alto	70 mm
Embalaje Nivel 1 Largo	100 mm
Embalaje Nivel 1 Peso	0.088 kg
Embalaje Nivel 1 EAN	8012542224617

Clasificación

Cantidad mínima de pedido	1 piece
Código arancelario	85364900
E-Number (Sweden)	1330662
Country of Origin	Spain (ES)

Certificados y Declaraciones (Número de Documento)

Declaración de conformidad - CE	2CSC441017D2701
Instrucciones y manuales	2CSM441039D5601

Descargas Populares

Ficha técnica, información técnica	9AKK107991A8329
Instrucciones y manuales	2CSM441039D5601
Dimension Diagram	9AKK107992A8050

Clasificaciones

ETIM 7	EC002304 - Analogous time switch for distribution board
ETIM 8	EC002304 - Analogous time switch for distribution board
Categoría RAEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85364900
Object Classification Code	K

Categorías

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Control and Automation Devices → Analogue and Digital Time Switches

