

Product data sheet

Specifications

Kaedra - cable gland - PG36

83997



Main

Range of product	Kaedra
Product or component type	Cable gland
Accessory / separate part category	Cabling accessory

Complementary

Cable gland type	Pg 36
------------------	-------

Environment

Fire resistance	850 °C conforming to IEC 60695-2-11
IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK08 conforming to EN 62262
Ambient air temperature for operation	-25...40 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	69.0 g
Package 1 Height	6.0 cm
Package 1 width	10.0 cm
Package 1 Length	12.0 cm
Unit Type of Package 2	S03
Number of Units in Package 2	100
Package 2 Weight	7.387 kg
Package 2 Height	30.0 cm
Package 2 width	30.0 cm
Package 2 Length	40.0 cm

Offer Sustainability

REACH Regulation	REACH Declaration
------------------	-----------------------------------

REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty

Warranty	18 months
-----------------	-----------