





GV3G364

١	ı	1	а	ı	r

Range	Linergy
Product name	FT
Device short name	GV3G
Product or component type	Comb busbar
Accessory / separate part category	Connection accessory
Poles description	3P
Range compatibility	TeSys D TeSys K TeSys U TeSys GV3
Product compatibility	LC1D40AD65A GV3L GV3P
Number of tap-offs	3
[Ith] conventional free air thermal current	115 A
Connection pitch	64 mm

# Complementary

Mounting location	On terminal
[Ui] rated insulation voltage	690 V
Net weight	0.25 kg

### **Packing Units**

Tacking Critic	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	265.0 g
Package 1 Height	2.0 cm
Package 1 width	5.0 cm
Package 1 Length	18.5 cm
Unit Type of Package 2	S01
Number of Units in Package 2	17

40.0 cm
15.0 cm
15.0 cm
4.701 kg
_

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
WEEE The product must be disposed on European Union markets following specific wasted never end up in rubbish bins	
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

# **Contractual warranty**

anty	18 months		
------	-----------	--	--

# **Product data sheet**

**GV3G364** 

**Dimensions Drawings** 

### Set of Busbars GV3G364

