

# Product data sheet

Specifications



## Ethernet switchboard display FDM 128, up to 8 connected devices, screen 115.2 x 86.4 mm, IP65 on front face

LV434128

**Product availability : Stock - Normally stocked in distribution facility**

**Price\* : 2,925.00 USD**

### Main

Device short name	FDM128
Product or Component Type	Display module
Accessory / separate part category	Display and signalling accessory
Range compatibility	MasterPact MTZ MasterPact NW MasterPact NT ComPact NSX ComPact NS630b...1600 ComPact NS1600b...3200 PowerPact H PowerPact J PowerPact L PowerPact P PowerPact R Acti 9 Smartlink smart communication module
Product name	Enerlin'X FDM
Function of module	Remote control View network Metering Display alarm

### Complementary

Control Type	Remote control
Mounting Mode	Flush mounting
Mounting Support	Surface mount with kit
Display Type	Active matrix colour TFT LCD with LED backlight
Display Resolution	320 x 240 pixels QVGA
View angle horizontal x vertical	70 x 80°
[Us] rated supply voltage	24 V DC - 15...20 %
Power Consumption in W	6.8 W
Standards	CE CSA UL
Height	5.08 in (129 mm)
Width	6.42 in (163 mm)

\* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Depth	2.22 in (56.5 mm)
Accessory / separate part category	Spare part ComPact NS630b...1600 Spare part ComPact NS1600b...3200

## Environment

IP degree of protection	IP54 Front face IP65
Ambient air temperature for operation	14...131 °F (-10...55 °C)

## Ordering and shipping details

Category	01103-H,J,COMPACT NS UL/IEC CIRCUIT BREAKER ACCESSORIES
Discount Schedule	DE2
GTIN	3606480590191
Nbr. of units in pkg.	1
Package weight(Lbs)	29.54 oz (837.5 g)
Returnability	Yes
Country of origin	CN

## Packing Units

Unit Type of Package 1	PCE
Package 1 Height	7.24 in (18.4 cm)
Package 1 width	2.68 in (6.8 cm)
Package 1 Length	10.51 in (26.7 cm)
Unit Type of Package 2	P12
Number of Units in Package 2	192
Package 2 Weight	402.81 lb(US) (182.712 kg)
Package 2 Height	31.50 in (80.0 cm)
Package 2 width	47.24 in (120.0 cm)
Package 2 Length	43.31 in (110.0 cm)
Unit Type of Package 3	S03
Number of Units in Package 3	8
Package 3 Weight	15.96 lb(US) (7.238 kg)
Package 3 Height	11.81 in (30.0 cm)
Package 3 width	11.81 in (30.0 cm)
Package 3 Length	15.75 in (40.0 cm)

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a>

Product out of China RoHS scope. Substance declaration for your information.

---

<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
<b>Circularity Profile</b>	<a href="#">End of Life Information</a>
<b>WEEE</b>	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
<b>PVC free</b>	Yes

---

**Contractual warranty**

---

<b>Warranty</b>	18 months
-----------------	-----------

---